

Object XRef Sorted by Object

20/02/2007

	ParentXRefType	ParentObjectName
Sample Reports		
Sales Reports		
Cross Tab.rpt		
Field		
{Customer.City}	GroupField	GroupName ({Customer.City})
	SummaryField	Sum ({Orders.Order Amount}, {Customer.City})
{Customer.Region}	Formula	{@Group Footer #1a {Customer.Region} - A_BackgroundColor}
	Formula	{@RecordSelection}
	Formula	{@Rgional total}
	GroupField	GroupName ({Customer.Region})
	SummaryField	Sum ({Orders.Order Amount}, {Customer.Region})
{Orders.Order Amount}	Formula	{@Group Footer #1a {Customer.Region} - A_BackgroundColor}
	Formula	{@Rgional total}
	Section	Details
	SummaryField	Sum ({Orders.Order Amount}, {Customer.City})
	SummaryField	Sum ({Orders.Order Amount}, {Customer.Region})
Formula		
{@Rgional total}	Section	Group Footer #1a {Customer.Region} - A
SummaryField		
Sum ({Orders.Order Amount}, {Customer.City})	Section	Group Header #2 {Customer.City} - A
	SummaryField	Sum ({Orders.Order Amount}, {Customer.City})
Sum ({Orders.Order Amount}, {Customer.Region})	Formula	{@Group Footer #1a {Customer.Region} - A_BackgroundColor}
	SummaryField	Sum ({Orders.Order Amount}, {Customer.Region})
Table		
Customer	Formula	{@Group Footer #1a {Customer.Region} - A_BackgroundColor}
	Formula	{@RecordSelection}
	Formula	{@Rgional total}
	GroupField	GroupName ({Customer.City})
	GroupField	GroupName ({Customer.Region})
	SummaryField	Sum ({Orders.Order Amount}, {Customer.City})
	SummaryField	Sum ({Orders.Order Amount}, {Customer.Region})
Orders	Formula	{@Group Footer #1a {Customer.Region} - A_BackgroundColor}
	Formula	{@Rgional total}
	SummaryField	Sum ({Orders.Order Amount}, {Customer.City})
	SummaryField	Sum ({Orders.Order Amount}, {Customer.Region})
Discount Report.rpt		
Field		
{Customer.City}	GroupField	GroupName ({Customer.City})
{Customer.Customer Name}	Formula	{@Order subtotal}
	Formula	{@Subtotal Order+tax}
	GroupField	GroupName ({Customer.Customer Name})
	SummaryField	Sum ({@Order +Tax}, {Customer.Customer Name})
	SummaryField	Sum ({Orders.Order Amount}, {Customer.Customer Name})
{Customer.Region}	Formula	{@Group Footer #1 {Customer.Region} - A_BackgroundColor}
	Formula	{@RecordSelection}
	Formula	{@Rgional total}
	Formula	{@Statement}
	GroupField	GroupName ({Customer.Region})
	SummaryField	Sum ({@Order +Tax}, {Customer.Region})
	SummaryField	Sum ({Orders.Order Amount}, {Customer.Region})
{Orders.Order Amount}	Formula	{@Discount AMt}
	Formula	{@Group Footer #1 {Customer.Region} - A_BackgroundColor}

[Redacted]

[Redacted]

[Redacted]

[Redacted]

[Redacted]

[Redacted]

[Redacted]

[Redacted]

[Redacted]

[Redacted]

[Redacted]

[Redacted]

[Redacted]

[Redacted]

[Redacted]

[Redacted]

[Redacted]

[Redacted]

[Redacted]

[Redacted]

	ParentXRefType	ParentObjectName
Sales Reports		
Field		
{Orders.Order Amount}	Formula	{@Order +Tax}
	Formula	{@Order rating}
	Formula	{@Order subtotal}
	Formula	{@OrderAsPerSubtotal}
	Formula	{@Rgional total}
	Formula	{@Statement}
	Section	Details
	SummaryField	Sum ({Orders.Order Amount}, {Customer.Customer Name})
	SummaryField	Sum ({Orders.Order Amount}, {Customer.Region})
{Orders.Order Date}	Section	Details
{Orders.Order ID}	Section	Details
{Product_Type.Product Type Name}	Formula	{@RecordSelection}
	GroupField	GroupName ({Product_Type.Product Type Name})
Formula		
{@Order +Tax}	Formula	{@Order +Tax_FontColor}
	Formula	{@Order +Tax_FontStyle}
	Formula	{@Statement}
	Formula	{@Subtotal Order+tax}
	RunningTotal	{#Count High Sales}
	RunningTotal	{#Sales To Date}
	Section	Details
	SummaryField	Sum ({@Order +Tax}, {Customer.Customer Name})
	SummaryField	Sum ({@Order +Tax}, {Customer.Region})
{@Order subtotal}	Formula	{@OrderAsPerSubtotal}
	Section	Group Footer #4 {Customer.Customer Name} - A
{@OrderAsPerSubtotal}	Section	Details
{@Statement}	Section	Group Footer #1 {Customer.Region} - A
{@Subtotal Order+tax}	Section	Group Footer #4 {Customer.Customer Name} - A
Parameter		
{?Product Group}	Formula	{@RecordSelection}
RunningTotal		
{#Sales To Date}	Section	Details
SummaryField		
Sum ({@Order +Tax}, {Customer.Customer Name})	SummaryField	Sum ({@Order +Tax}, {Customer.Customer Name})
Sum ({@Order +Tax}, {Customer.Region})	SummaryField	Sum ({@Order +Tax}, {Customer.Region})
Sum ({Orders.Order Amount}, {Customer.Customer Name})	SummaryField	Sum ({Orders.Order Amount}, {Customer.Customer Name})
Sum ({Orders.Order Amount}, {Customer.Region})	Formula	{@Group Footer #1 {Customer.Region} - A_BackgroundColor}
	SummaryField	Sum ({Orders.Order Amount}, {Customer.Region})
Table		
Customer	Formula	{@Group Footer #1 {Customer.Region} - A_BackgroundColor}
	Formula	{@Order subtotal}
	Formula	{@RecordSelection}
	Formula	{@Rgional total}
	Formula	{@Statement}
	Formula	{@Subtotal Order+tax}
	GroupField	GroupName ({Customer.City})
	GroupField	GroupName ({Customer.Customer Name})
	GroupField	GroupName ({Customer.Region})
	SummaryField	Sum ({@Order +Tax}, {Customer.Customer Name})
	SummaryField	Sum ({@Order +Tax}, {Customer.Region})

	ParentXRefType	ParentObjectName
📁 Sales Reports		
Table		
Customer	SummaryField	Sum ({Orders.Order Amount}, {Customer.Customer Name})
	SummaryField	Sum ({Orders.Order Amount}, {Customer.Region})
Orders	Formula	{@Discount AMt}
	Formula	{@Group Footer #1 {Customer.Region} - A_BackgroundColor}
	Formula	{@Order +Tax}
	Formula	{@Order rating}
	Formula	{@Order subtotal}
	Formula	{@OrderAsPerSubtotal}
	Formula	{@Rgional total}
	Formula	{@Statement}
	SummaryField	Sum ({Orders.Order Amount}, {Customer.Customer Name})
	SummaryField	Sum ({Orders.Order Amount}, {Customer.Region})
Product	Formula	{@RecordSelection}
	GroupField	GroupName ({Product_Type.Product Type Name})
Product_Type	Formula	{@RecordSelection}
	GroupField	GroupName ({Product_Type.Product Type Name})
<hr/>		
📄 Product Details.rpt (Subreport)		
Field		
{Customer.Customer Name}	Formula	{@RecordSelection}
	GroupField	GroupName ({Customer.Customer Name})
{Orders.Order Amount}	Formula	{@Discount AMt}
{Orders.Order ID}	Formula	{@RecordSelection}
	GroupField	GroupName ({Orders.Order ID})
	SummaryField	Sum ({@Amount}, {Orders.Order ID})
{Orders_Detail.Quantity}	Formula	{@Amount}
	Section	Details
{Orders_Detail.Unit Price}	Formula	{@Amount}
{Product.Product Name}	Section	Details
Formula		
{@Amount}	Section	Details
	SummaryField	Sum ({@Amount}, {Orders.Order ID})
{@Discount AMt}	Section	Details
Parameter		
{?Pm-Customer.Customer Name}	Formula	{@RecordSelection}
{?Pm-Orders.Order ID}	Formula	{@RecordSelection}
<hr/>		
SummaryField		
Sum ({@Amount}, {Orders.Order ID})	Section	Group Footer #2 {Orders.Order ID} - A
	SummaryField	Sum ({@Amount}, {Orders.Order ID})
<hr/>		
Table		
Customer	Formula	{@RecordSelection}
	GroupField	GroupName ({Customer.Customer Name})
Orders	Formula	{@Amount}
	Formula	{@Discount AMt}
	Formula	{@RecordSelection}
	GroupField	GroupName ({Orders.Order ID})
	SummaryField	Sum ({@Amount}, {Orders.Order ID})
Orders_Detail	Formula	{@Amount}
<hr/>		
📄 Employee Performance Report.rpt		
Field		
{Customer.City}	GroupField	GroupName ({Customer.City})
	SummaryField	Count ({Orders.Order ID}, {Customer.City})

[REDACTED]

11

[REDACTED]

[REDACTED]

12

[REDACTED]

	ParentXRefType	ParentObjectName
Sales Reports		
Field		
{Customer.Country}	GroupField	GroupName ({Customer.Country})
	GroupField	GroupName ({Customer.Country})
	SummaryField	Count ({Orders.Order ID}, {Customer.Country})
{Customer.Customer Name}	GroupField	GroupName ({Customer.Customer Name})
{Customer.Last Year's Sales}	Formula	{@RecordSelection}
	Section	Group Header #6 {Customer.Customer Name} - A
{Customer.Region}	GroupField	GroupName ({Customer.Region})
	SummaryField	Count ({Orders.Order ID}, {Customer.Region})
	SummaryField	Sum ({@Late orders}, {Customer.Region})
{Employee.First Name}	Formula	{@Handled by}
{Employee.Last Name}	Formula	{@Handled by}
{Orders.Order Date}	Formula	{@RecordSelection}
	Section	Details b
{Orders.Order ID}	Section	Details b
	SummaryField	Count ({Orders.Order ID}, {Customer.City})
	SummaryField	Count ({Orders.Order ID}, {Customer.Country})
	SummaryField	Count ({Orders.Order ID}, {Customer.Region})
{Orders.Required Date}	Formula	{@Shipped within time}
	Section	Details b
{Orders.Ship Date}	Formula	{@Shipped within time}
	Section	Details b
Formula		
{@Handled by}	GroupField	GroupName ({@Handled by})
{@Late orders}	Section	Details b
	SummaryField	Sum ({@Late orders}, {Customer.Region})
{@Shipped within time}	Formula	{@Late orders}
	Section	Details b
SummaryField		
Count ({Orders.Order ID}, {Customer.City})	Section	Group Header #5 {Customer.City} - A
	SummaryField	Count ({Orders.Order ID}, {Customer.City})
Count ({Orders.Order ID}, {Customer.Country})	Section	Group Header #3 {Customer.Country} - A
	SummaryField	Count ({Orders.Order ID}, {Customer.Country})
Count ({Orders.Order ID}, {Customer.Region})	Section	Group Header #4 {Customer.Region} - A
	SummaryField	Count ({Orders.Order ID}, {Customer.Region})
Sum ({@Late orders}, {Customer.Region})	Section	Group Header #4 {Customer.Region} - A
	SummaryField	Sum ({@Late orders}, {Customer.Region})
Table		
Customer	Formula	{@RecordSelection}
	GroupField	GroupName ({Customer.City})
	GroupField	GroupName ({Customer.Country})
	GroupField	GroupName ({Customer.Country})
	GroupField	GroupName ({Customer.Customer Name})
	GroupField	GroupName ({Customer.Region})
	SummaryField	Count ({Orders.Order ID}, {Customer.City})
	SummaryField	Count ({Orders.Order ID}, {Customer.Country})
	SummaryField	Count ({Orders.Order ID}, {Customer.Region})
	SummaryField	Sum ({@Late orders}, {Customer.Region})
Employee	Formula	{@Handled by}
Orders	Formula	{@RecordSelection}
	Formula	{@Shipped within time}
	SummaryField	Count ({Orders.Order ID}, {Customer.City})
	SummaryField	Count ({Orders.Order ID}, {Customer.Country})
	SummaryField	Count ({Orders.Order ID}, {Customer.Region})
	SummaryField	Sum ({@Late orders}, {Customer.Region})

[Redacted text block]

ParentXRefType

ParentObjectName



Sales Reports



SalesRunningTotal.rpt

Field

{Customer.Customer Name}

Section

Details

Sort Field

{Customer.Customer Name}

{Customer.Last Year's Sales}

RunningTotal

{#CValue}

Section

Details

Formula

RunningTotal

{#CValue}

Section

Details

Section

Report Footer

Table

Customer

RunningTotal

{#CValue}

Sort Field

{Customer.Customer Name}

[Redacted]

[Redacted]

[Redacted]

[Redacted]