


 **Sample Reports**

 **Sales Reports**

 **Report File Name:** CrossTab.rpt
Full Path: \\Sales Reports
Application Name: Crystal Reports

Report Summary Information:

Report Title
 Report Comments:
 Report Subject:
 Report Template:
 Report Author:

Report Settings

Printer Setup

Printer Name
 Driver Name
 Paper Souuce: crPRBinAuto
 Paper Size: crDefaultPaperSize
 Paper Orientation: crDefaultPaperOrientation

Page Setup

Left Margin: 0.13 in.	Right Margin: 0.13 in.	Top Margin: 0.12 in.	Bottom Margin :0.20 in.
Can Group on Server	True	Does Group on Server	False
Verify Data on Print	True	Uses Indexes For Speed	True
Has Saved Data	False	Case Insensitive SQL Data	True
Convert Null to default	False	Generate data for hidden Objects	True
Convert Data/Time Type	crKeepDateTimeType	Formula Syntax	crCrystalSyntaxFormula

Report Data Source

Database Name: Xtreme Sample Database 11

Table Name

Customer	Orders
Orders_Detail	Product
Product_Type	

Report SQL String

```
SELECT `Customer`.`Region`, `Customer`.`City`, `Orders`.`Order Amount`, `Product_Type`.`Product Type Name`, `Product`.`Product Name`, `Orders_Detail`.`Quantity`
FROM (((`Customer` `Customer` INNER JOIN `Orders` `Orders` ON `Customer`.`Customer ID`=`Orders`.`Customer ID`) INNER JOIN `Orders_Detail` `Orders_Detail` ON `Orders`.`Order ID`=`Orders_Detail`.`Order ID`) INNER JOIN `Product` `Product` ON `Orders_Detail`.`Product ID`=`Product`.`Product ID`) INNER JOIN `Product_Type` `Product_Type` ON `Product`.`Product Type ID`=`Product_Type`.`Product Type ID`
WHERE (`Customer`.`Region`='BC' OR `Customer`.`Region`='CA' OR `Customer`.`Region`='MN' OR `Customer`.`Region`='OH' OR `Customer`.`Region`='PA')
ORDER BY `Customer`.`Region`, `Customer`.`City`
```

Record Selection Formula

{Customer.Region} in ["MN", "OH", "BC", "PA", "CA"]

Group Selection Formula

Report Header

<i>Object Name</i>	<i>CanGrow</i>	<i>Alignment</i>	<i>Supress</i>	<i>Font Name</i>	<i>Font Size</i>
--------------------	----------------	------------------	----------------	------------------	------------------

Page Header

<i>Object Name</i>	<i>CanGrow</i>	<i>Alignment</i>	<i>Supress</i>	<i>Font Name</i>	<i>Font Size</i>
--------------------	----------------	------------------	----------------	------------------	------------------

Group Header #1 {Customer.Region} - A

<i>Object Name</i>	<i>CanGrow</i>	<i>Alignment</i>	<i>Supress</i>	<i>Font Name</i>	<i>Font Size</i>
GroupName ({Customer.Region})	False	crDefaultAlign	False	Arial	9.75

Group Header #2 {Customer.City} - A

<i>Object Name</i>	<i>CanGrow</i>	<i>Alignment</i>	<i>Supress</i>	<i>Font Name</i>	<i>Font Size</i>
GroupName ({Customer.City})	False	crDefaultAlign	False	Arial	9.75

Sales Reports / CrossTab.rpt



Sales Reports

Group Header #2 {Customer.City} - A

Sum ({Orders.Order Amount}, {Customer.City}) False crDefaultAlign False Arial 9.75

Details

Object Name *CanGrow* *Alignment* *Supress* *Font Name* *Font Size*
 {Orders.Order Amount} False crDefaultAlign False Arial 9.75

Group Footer #2 {Customer.City} - A

Object Name *CanGrow* *Alignment* *Supress* *Font Name* *Font Size*

Group Footer #1a {Customer.Region} - A

Object Name *CanGrow* *Alignment* *Supress* *Font Name* *Font Size*
 {@Rgional total} False crDefaultAlign False Arial 9.75

Report Footer

Object Name *CanGrow* *Alignment* *Supress* *Font Name* *Font Size*

Page Footer

Object Name *CanGrow* *Alignment* *Supress* *Font Name* *Font Size*

Report Groups

Group	Name	ValueType
Group #1	GroupName ({Customer.Region})	crStringField
Group #2	GroupName ({Customer.City})	crStringField

ReportFormulas

Formula Name	ValueType
{@Group Footer #1a {Customer.Region} - A_BackgroundColor} if Sum ({Orders.Order Amount}, {Customer.Region})>230000 then silver else nocolor	
{@GroupSelection}	
{@Rgional total} sum(({Orders.Order Amount},{Customer.Region}))	

Report Parameters

Report CrossTabs

CrossTab1

Row
 {Product_Type.Product Type Name}
 {Product.Product Name}

Column
 {Customer.Region}
 {Customer.City}

Summarized Fields

FieldName	SummaryType	ValueType
Unavailable	crSTSum	crNumberField
Unavailable	crSTSum	crCurrencyField

Report Running Totals

Report Sort Fields



Report File Name: Discount Report.rpt

Full Path: \\Sales Reports

Application Name: Crystal Reports

Report Summary Information:

Report Title
 Report Comments:
 Report Subject:
 Report Template:
 Report Author:

Report Settings

Printer Setup

Printer Name
 Driver Name
 Paper Souuce crPRBinAuto
 Paper Size crDefaultPaperSize

Sales Reports / Discount Report.rpt



Sales Reports

Paper Orientation crDefaultPaperOrientation

Page Setup

Left Margin: 0.13 in.	Right Margin: 0.13 in.	Top Margin: 0.12 in.	Bottom Margin :0.20 in.
Can Group on Server	True	Does Group on Server	False
Verify Data on Print	True	Uses Indexes For Speed	True
Has Saved Data	False	Case Insensitive SQL Data	True
Convert Null to default	False	Generate data for hidden Objects	True
Convert Data/Time Type	crKeepDateTimeType	Formula Syntax	crCrystalSyntaxFormula

Report Data Source

Database Name: Xtreme Sample Database 11

Table Name

Customer	Orders
Orders_Detail	Product
Product_Type	

Report SQL String

```
SELECT `Customer`.`Region`, `Customer`.`City`, `Orders`.`Order Amount`, `Customer`.`Customer Name`, `Product_Type`.`Product Type Name`, `Orders`.`Order ID`, `Orders`.`Order Date`
FROM (((`Customer` `Customer` INNER JOIN `Orders` `Orders` ON `Customer`.`Customer ID`=`Orders`.`Customer ID`) INNER JOIN `Orders_Detail` `Orders_Detail` ON `Orders`.`Order ID`=`Orders_Detail`.`Order ID`) INNER JOIN `Product` `Product` ON `Orders_Detail`.`Product ID`=`Product`.`Product ID`) INNER JOIN `Product_Type` `Product_Type` ON `Product`.`Product Type ID`=`Product_Type`.`Product Type ID`
WHERE (`Customer`.`Region`='BC' OR `Customer`.`Region`='CA' OR `Customer`.`Region`='MN' OR `Customer`.`Region`='OH' OR `Customer`.`Region`='PA')
ORDER BY `Customer`.`Region`, `Customer`.`City`, `Product_Type`.`Product Type Name`, `Customer`.`Customer Name`
```

Record Selection Formula

{Customer.Region} in ["MN", "OH", "BC", "PA", "CA"] and

{Product_Type.Product Type Name}=?Product Group

Group Selection Formula

Report Header

<i>Object Name</i>	<i>CanGrow</i>	<i>Alignment</i>	<i>Supress</i>	<i>Font Name</i>	<i>Font Size</i>
--------------------	----------------	------------------	----------------	------------------	------------------

Page Header

<i>Object Name</i>	<i>CanGrow</i>	<i>Alignment</i>	<i>Supress</i>	<i>Font Name</i>	<i>Font Size</i>
--------------------	----------------	------------------	----------------	------------------	------------------

Group Header #1 {Customer.Region} - A

<i>Object Name</i>	<i>CanGrow</i>	<i>Alignment</i>	<i>Supress</i>	<i>Font Name</i>	<i>Font Size</i>
--------------------	----------------	------------------	----------------	------------------	------------------

Group Header #2 {Customer.City} - A

<i>Object Name</i>	<i>CanGrow</i>	<i>Alignment</i>	<i>Supress</i>	<i>Font Name</i>	<i>Font Size</i>
--------------------	----------------	------------------	----------------	------------------	------------------

Group Header #3 {Product_Type.Product Type Name} - A

<i>Object Name</i>	<i>CanGrow</i>	<i>Alignment</i>	<i>Supress</i>	<i>Font Name</i>	<i>Font Size</i>
--------------------	----------------	------------------	----------------	------------------	------------------

Group Header #4 {Customer.Customer Name} - A

<i>Object Name</i>	<i>CanGrow</i>	<i>Alignment</i>	<i>Supress</i>	<i>Font Name</i>	<i>Font Size</i>
--------------------	----------------	------------------	----------------	------------------	------------------

Details

<i>Object Name</i>	<i>CanGrow</i>	<i>Alignment</i>	<i>Supress</i>	<i>Font Name</i>	<i>Font Size</i>
{Orders.Order Amount}	False	crDefaultAlign	False	Arial	9.75
{Orders.Order ID}	False	crDefaultAlign	False	Arial	9.75
{Orders.Order Date}	False	crDefaultAlign	False	Arial	9.75
{@Order +Tax}	False	crDefaultAlign	False	Arial	9.75
{@OrderAsPerSubtotal}	False	crDefaultAlign	False	Arial	9.75
{#Sales To Date}	False	crDefaultAlign	False	Arial	9.75

Group Footer #4 {Customer.Customer Name} - A

<i>Object Name</i>	<i>CanGrow</i>	<i>Alignment</i>	<i>Supress</i>	<i>Font Name</i>	<i>Font Size</i>
{@Order subtotal}	False	crDefaultAlign	False	Arial	9.75
{@Subtotal Order+tax}	False	crDefaultAlign	False	Arial	9.75

Group Footer #3 {Product_Type.Product Type Name} - A

<i>Object Name</i>	<i>CanGrow</i>	<i>Alignment</i>	<i>Supress</i>	<i>Font Name</i>	<i>Font Size</i>
--------------------	----------------	------------------	----------------	------------------	------------------

Group Footer #2 {Customer.City} - A

Sales Reports / Discount Report.rpt

 Sales Reports

Group Footer #2 {Customer.City} - A

<i>Object Name</i>	<i>CanGrow</i>	<i>Alignment</i>	<i>Supress</i>	<i>Font Name</i>	<i>Font Size</i>
--------------------	----------------	------------------	----------------	------------------	------------------

Group Footer #1 {Customer.Region} - A

<i>Object Name</i>	<i>CanGrow</i>	<i>Alignment</i>	<i>Supress</i>	<i>Font Name</i>	<i>Font Size</i>
{@Statement}	True	crRightAlign	False	Arial	9.75

Report Footer

<i>Object Name</i>	<i>CanGrow</i>	<i>Alignment</i>	<i>Supress</i>	<i>Font Name</i>	<i>Font Size</i>
--------------------	----------------	------------------	----------------	------------------	------------------

Page Footer

<i>Object Name</i>	<i>CanGrow</i>	<i>Alignment</i>	<i>Supress</i>	<i>Font Name</i>	<i>Font Size</i>
--------------------	----------------	------------------	----------------	------------------	------------------

Report Groups

Group	Name	ValueType
Group #1	GroupName {{Customer.Region}}	crStringField
Group #2	GroupName {{Customer.City}}	crStringField
Group #3	GroupName {{Product_Type.Product Type Name}}	crStringField
Group #4	GroupName {{Customer.Customer Name}}	crStringField

ReportFormulas

Formula Name	ValueType
--------------	-----------

```

{@Discount AMt}
    numbervar array disper:=[0.05,0.03,0.02];

    if {Orders.Order Amount}>5000 then {Orders.Order Amount}*disper[1]&" at 5% disc"
    else if {Orders.Order Amount}>2500 then {Orders.Order Amount}*disper[2]&" at 3% disc"
    Else if {Orders.Order Amount}>1500 then {Orders.Order Amount}*disper[3]&" at 2% disc"

{@Group Footer #1 {Customer.Region} - A_BackgroundColor}
    //if Sum ({Orders.Order Amount}, {Customer.Region})>230000 then silver else nocolor

{@GroupSelection}

{@Order +Tax_FontColor}
    If {@Order +Tax}>5500 then blue

{@Order +Tax_FontStyle}
    // This conditional formatting formula must return one of the following Font Style Constants:
    //
    // crRegular
    // crBold
    // crItalic
    // crBoldItalic
    //
    If {@Order +Tax}>5500 then crbold

{@Order +Tax}
    {Orders.Order Amount}*1.1

{@Order rating}
    if {Orders.Order Amount}>1500 then "Apply Discount"

{@Order subtotal}
    sum({Orders.Order Amount},{Customer.Customer Name})

{@OrderAsPerSubtotal}
    {Orders.Order Amount}%{@Order subtotal}

{@Rgional total}
    sum({Orders.Order Amount},{Customer.Region})

{@Statement}
    "Total Sales for "&{Customer.Region}&" Pretax:="&Sum({Orders.Order Amount},{Customer.Region})&chr(13)&
    "After Tax: ="&sum({@Order +Tax},{Customer.Region})

{@Subtotal Order+tax}
    sum({@Order +Tax},{Customer.Customer Name})
    
```

Report Parameters

Name	ValueType	Prompt
{?Product Group}	crStringField	Enter Product Type Name:

Report CrossTabs

Report Running Totals

Sales Reports / Discount Report.rpt



Sales Reports

Name	ValueType	SummarizedField	SummaryType
{#Sales To Date}	crCurrencyField	{@Order +Tax}	crSTSum
{#Count High Sales}	crInt32sField	{@Order +Tax}	crSTCount

Report Sort Fields



Report File Name: Product Details (Subreport)

Full Path: \\Sales Reports
 Application Name: Crystal Reports

Report Summary Information:

Report Title
 Report Comments:
 Report Subject:
 Report Template:
 Report Author:

Report Settings

Printer Setup

Printer Name
 Driver Name
 Paper Souuce: crPRBinAuto
 Paper Size: crDefaultPaperSize
 Paper Orientation: crDefaultPaperOrientation

Page Setup

Left Margin: 0.13 in.	Right Margin: 0.13 in.	Top Margin: 0.12 in.	Bottom Margin :0.20 in.
Can Group on Server: True	Does Group on Server: False	Verify Data on Print: True	Uses Indexes For Speed: True
Has Saved Data: False	Case Insensitive SQL Data: True	Convert Null to default: False	Generate data for hidden Objects: True
Convert Data/Time Type: crKeepDateTimeType	Formula Syntax: crCrystalSyntaxFormula		

Report Data Source

Database Name: Xtreme Sample Database 11

Table Name	
Customer	Orders
Orders_Detail	Product
Product_Type	

Report SQL String

```
SELECT `Product`.`Product Name`, `Orders_Detail`.`Unit Price`, `Orders_Detail`.`Quantity`, `Customer`.`Customer Name`,
`Orders`.`Order ID`, `Orders`.`Order Amount`
FROM ((`Customer`.`Customer` INNER JOIN `Orders`.`Orders` ON `Customer`.`Customer ID`=`Orders`.`Customer ID`) INNER JOIN
`Orders_Detail`.`Orders_Detail` ON `Orders`.`Order ID`=`Orders_Detail`.`Order ID`) INNER JOIN `Product`.`Product` ON
`Orders_Detail`.`Product ID`=`Product`.`Product ID`
ORDER BY `Customer`.`Customer Name`, `Orders`.`Order ID`
```

Record Selection Formula

```
{Customer.Customer Name} = {?Pm-Customer.Customer Name}
and
{Orders.Order ID} = {?Pm-Orders.Order ID}
```

Group Selection Formula

Report Header

Object Name	CanGrow	Alignment	Supress	Font Name	Font Size
Group Header #1 {Customer.Customer Name} - A					
Object Name	CanGrow	Alignment	Supress	Font Name	Font Size
GroupName ({Customer.Customer Name})	False	crDefaultAlign	False	Arial	9.75
Group Header #2 {Orders.Order ID} - A					
Object Name	CanGrow	Alignment	Supress	Font Name	Font Size
GroupName ({Orders.Order ID})	False	crDefaultAlign	False	Arial	9.75

Details

Sales Reports / Product Details

 Sales Reports

Details

Object Name	CanGrow	Alignment	Supress	Font Name	Font Size
{Product.Product Name}	False	crDefaultAlign	False	Arial	9.75
{@Amount}	False	crDefaultAlign	False	Arial	9.75
{Orders_Detail.Quantity}	False	crDefaultAlign	False	Arial	9.75
{@Discount AMt}	False	crDefaultAlign	False	Arial	9.75

Group Footer #2 {Orders.Order ID} - A

Object Name	CanGrow	Alignment	Supress	Font Name	Font Size
Sum ({@Amount}, {Orders.Order ID})	False	crDefaultAlign	False	Arial	9.75

Group Footer #1 {Customer.Customer Name} - A

Object Name	CanGrow	Alignment	Supress	Font Name	Font Size
-------------	---------	-----------	---------	-----------	-----------

Report Footer

Object Name	CanGrow	Alignment	Supress	Font Name	Font Size
-------------	---------	-----------	---------	-----------	-----------

Report Groups

Group	Name	ValueType
Group #1	GroupName {{Customer.Customer Name}}	crStringField
Group #2	GroupName {{Orders.Order ID}}	crStringField

ReportFormulas

Formula Name	ValueType
{@Amount} {Orders_Detail.Unit Price}*{Orders_Detail.Quantity}	
{@Discount AMt} numbervar array disper:=[0.05,0.03,0.02]; if {Orders.Order Amount}>5000 then {Orders.Order Amount}*disper[1]&" at 5% disc" else if {Orders.Order Amount}>2500 then {Orders.Order Amount}*disper[2]&" at 3% disc" Else if {Orders.Order Amount}>1500 then {Orders.Order Amount}*disper[3]&" at 2% disc"	
{@GroupSelection}	

Report Parameters

Name	ValueType	Prompt
{?Pm-Customer.Customer Name}	crStringField	Pm-Customer.Customer Name
{?Pm-Orders.Order ID}	crNumberField	Pm-Orders.Order ID

Report CrossTabs

Report Running Totals

Report Sort Fields

 Report File Name: Employee Performance Report.rpt

Full Path: \\Sales Reports

Application Name: Crystal Reports

Report Summary Information:

Report Title
Report Comments:
Report Subject:
Report Template:
Report Author:

Report Settings

Printer Setup

Printer Name
Driver Name
Paper Souuce: crPRBinAuto
Paper Size: crDefaultPaperSize
Paper Orientation: crDefaultPaperOrientation

Page Setup

Left Margin: 0.13 in. Right Margin: 0.13 in. Top Margin: 0.12 in. Bottom Margin :0.20 in.

Sales Reports / Employee Performance Report.rpt



Sales Reports

Can Group on Server	True	Does Group on Server	False
Verify Data on Print	True	Uses Indexes For Speed	True
Has Saved Data	False	Case Insensitive SQL Data	True
Convert Null to default	False	Generate data for hidden Objects	True
Convert Data/Time Type	crKeepDateTimeType	Formula Syntax	crCrystalSyntaxFormula

Report Data Source

Database Name: Xtreme Sample Database 11

Table Name

Customer	Employee
Orders	

Report SQL String

```
SELECT `Customer`.`Country`, `Customer`.`Region`, `Customer`.`City`, `Customer`.`Customer Name`, `Customer`.`Last Year's Sales`,
`Orders`.`Order ID`, `Orders`.`Order Date`, `Orders`.`Required Date`, `Orders`.`Ship Date`, `Employee`.`First Name`, `Employee`.`Last
Name`
FROM (`Customer` `Customer` INNER JOIN `Orders` `Orders` ON `Customer`.`Customer ID`=`Orders`.`Customer ID`) INNER JOIN
`Employee` `Employee` ON `Orders`.`Employee ID`=`Employee`.`Employee ID`
WHERE `Customer`.`Last Year's Sales`>25000 AND (`Customer`.`Country`='Canada' OR `Customer`.`Country`='Mexico' OR
`Customer`.`Country`='USA' OR `Customer`.`Country`='England' OR `Customer`.`Country`='Ireland' OR `Customer`.`Country`='North
Ireland' OR `Customer`.`Country`='Scotland' OR `Customer`.`Country`='Wales')
```

Record Selection Formula

```
{Customer.Last Year's Sales} > $25000.00 and
year({Orders.Order Date})=2003
```

Group Selection Formula

Report Header

Object Name	CanGrow	Alignment	Supress	Font Name	Font Size
-------------	---------	-----------	---------	-----------	-----------

Page Header

Object Name	CanGrow	Alignment	Supress	Font Name	Font Size
-------------	---------	-----------	---------	-----------	-----------

Group Header #1 {@Handled by} - A

Object Name	CanGrow	Alignment	Supress	Font Name	Font Size
GroupName ({@Handled by})	False	crDefaultAlign	False	Arial	9.75

Group Header #2 {Customer.Country} - S

Object Name	CanGrow	Alignment	Supress	Font Name	Font Size
GroupName ({Customer.Country})	False	crDefaultAlign	False	Arial	9.75

Group Header #3 {Customer.Country} - A

Object Name	CanGrow	Alignment	Supress	Font Name	Font Size
GroupName ({Customer.Country})	False	crDefaultAlign	False	Arial	9.75
Count ({Orders.Order ID}, {Customer.Country})	False	crDefaultAlign	False	Arial	9.75

Group Header #4 {Customer.Region} - A

Object Name	CanGrow	Alignment	Supress	Font Name	Font Size
GroupName ({Customer.Region})	False	crDefaultAlign	False	Arial	9.75
Count ({Orders.Order ID}, {Customer.Region})	False	crDefaultAlign	False	Arial	9.75
Sum ({@Late orders}, {Customer.Region})	False	crHorCenterAlign	False	Arial	9.75

Group Header #5 {Customer.City} - A

Object Name	CanGrow	Alignment	Supress	Font Name	Font Size
GroupName ({Customer.City})	False	crDefaultAlign	False	Arial	9.75
Count ({Orders.Order ID}, {Customer.City})	False	crDefaultAlign	False	Arial	9.75

Group Header #6 {Customer.Customer Name} - A

Object Name	CanGrow	Alignment	Supress	Font Name	Font Size
GroupName ({Customer.Customer Name})	False	crDefaultAlign	False	Arial	9.75
{Customer.Last Year's Sales}	False	crDefaultAlign	False	Arial	9.75

Details a

Object Name	CanGrow	Alignment	Supress	Font Name	Font Size
{Orders.Order ID}	False	crDefaultAlign	False	Arial	9.75
{Orders.Order Date}	False	crDefaultAlign	False	Arial	9.75
{Orders.Required Date}	False	crDefaultAlign	False	Arial	9.75
{Orders.Ship Date}	False	crDefaultAlign	False	Arial	9.75
{@Shipped within time}	False	crHorCenterAlign	False	Arial	9.75

Sales Reports / Employee Performance Report.rpt



Sales Reports

Details b

{@Late orders}	False	crDefaultAlign	False	Arial	9.75
Group Footer #6 {Customer.Customer Name} - A					
<i>Object Name</i>	<i>CanGrow</i>	<i>Alignment</i>	<i>Supress</i>	<i>Font Name</i>	<i>Font Size</i>
Group Footer #5 {Customer.City} - A					
<i>Object Name</i>	<i>CanGrow</i>	<i>Alignment</i>	<i>Supress</i>	<i>Font Name</i>	<i>Font Size</i>
Group Footer #4 {Customer.Region} - A					
<i>Object Name</i>	<i>CanGrow</i>	<i>Alignment</i>	<i>Supress</i>	<i>Font Name</i>	<i>Font Size</i>
Group Footer #3 {Customer.Country} - A					
<i>Object Name</i>	<i>CanGrow</i>	<i>Alignment</i>	<i>Supress</i>	<i>Font Name</i>	<i>Font Size</i>
Group Footer #2 {Customer.Country} - S					
<i>Object Name</i>	<i>CanGrow</i>	<i>Alignment</i>	<i>Supress</i>	<i>Font Name</i>	<i>Font Size</i>
Group Footer #1 {@Handled by} - A					
<i>Object Name</i>	<i>CanGrow</i>	<i>Alignment</i>	<i>Supress</i>	<i>Font Name</i>	<i>Font Size</i>
Report Footer					
<i>Object Name</i>	<i>CanGrow</i>	<i>Alignment</i>	<i>Supress</i>	<i>Font Name</i>	<i>Font Size</i>
Page Footer					
<i>Object Name</i>	<i>CanGrow</i>	<i>Alignment</i>	<i>Supress</i>	<i>Font Name</i>	<i>Font Size</i>

Report Groups

Group	Name	ValueType
Group #1	GroupName ({@Handled by})	crStringField
Group #2	GroupName ({Customer.Country})	crStringField
Group #3	GroupName ({Customer.Country})	crStringField
Group #4	GroupName ({Customer.Region})	crStringField
Group #5	GroupName ({Customer.City})	crStringField
Group #6	GroupName ({Customer.Customer Name})	crStringField

ReportFormulas

Formula Name	ValueType
{@GroupSelection}	
{@Handled by}	
{Employee.First Name}&" "&{Employee.Last Name}	
{@Late orders}	
if {@Shipped within time}="No" then 1 else 0	
{@Shipped within time}	
if {Orders.Ship Date}<={Orders.Required Date} then "Yes" else "No"	

Report Parameters

Report CrossTabs

Report Running Totals

Report Sort Fields



Report File Name: SalesRunningTotal.rpt

Full Path: \\Sales Reports

Application Name: Crystal Reports

Report Summary Information:

Report Title
 Report Comments:
 Report Subject:
 Report Template:
 Report Author:

Report Settings

Printer Setup

Printer Name
 Driver Name
 Paper Souuce: crPRBinAuto
 Paper Size: crDefaultPaperSize
 Paper Orientation: crDefaultPaperOrientation

Sales Reports / SalesRunningTotal.rpt

 Sales Reports

Page Setup

Left Margin: 0.13 in.	Right Margin: 0.13 in.	Top Margin: 0.12 in.	Bottom Margin :0.20 in.
Can Group on Server	True	Does Group on Server	False
Verify Data on Print	True	Uses Indexes For Speed	True
Has Saved Data	False	Case Insensitive SQL Data	True
Convert Null to default	False	Generate data for hidden Objects	True
Convert Data/Time Type	crKeepDateTimeType	Formula Syntax	crCrystalSyntaxFormula

Report Data Source

Database Name: Xtreme Sample Database 10

Table Name

Customer

Report SQL String

Failed to open the connection.

Record Selection Formula

Group Selection Formula

Report Header

<i>Object Name</i>	<i>CanGrow</i>	<i>Alignment</i>	<i>Supress</i>	<i>Font Name</i>	<i>Font Size</i>
--------------------	----------------	------------------	----------------	------------------	------------------

Page Header

<i>Object Name</i>	<i>CanGrow</i>	<i>Alignment</i>	<i>Supress</i>	<i>Font Name</i>	<i>Font Size</i>
--------------------	----------------	------------------	----------------	------------------	------------------

Details

<i>Object Name</i>	<i>CanGrow</i>	<i>Alignment</i>	<i>Supress</i>	<i>Font Name</i>	<i>Font Size</i>
{Customer.Customer Name}	False	crDefaultAlign	False	Arial	9.75
{Customer.Last Year's Sales}	False	crDefaultAlign	False	Arial	9.75
{#CValue}	False	crDefaultAlign	False	Arial	9.75

Report Footer

<i>Object Name</i>	<i>CanGrow</i>	<i>Alignment</i>	<i>Supress</i>	<i>Font Name</i>	<i>Font Size</i>
{#CValue}	False	crDefaultAlign	False	Arial	9.75

Page Footer

<i>Object Name</i>	<i>CanGrow</i>	<i>Alignment</i>	<i>Supress</i>	<i>Font Name</i>	<i>Font Size</i>
--------------------	----------------	------------------	----------------	------------------	------------------

Report Groups

ReportFormulas

Formula Name	ValueType
{@GroupSelection}	

Report Parameters

Report CrossTabs

Report Running Totals

Name	ValueType	SummarizedField	SummaryType
{#CValue}	crCurrencyField	{Customer.Last Year's Sales}	crSTSum

Report Sort Fields

Name	SortDirection
{Customer.Customer Name}	crAscendingOrder